

SKY LUM STAND



LUMENIA
INTERIOR

SKY LUM STAND is a modern designed standing lamp with smart functions that provide a pleasant experience for the user. It belongs to the HCL product line, which regulates the visual, emotional and biological needs of people with a precisely designed color spectrum. It is ideal for offices and for working from home.

	SKY LUM STAND
System efficacy	Up to 115 lm/W
Supply voltage	220-240 V / 50Hz
Power	75 W up / 25 W down
Luminous flux	9500 lm up / 2500 lm down
Power factor	>0.9
Weight	16 kg
Lifetime L80B10	>50 000 h
CCT	Tunable from 3000 K to 6000 K
CRI	>80 3000K, >80 4000K, >80 6000K
UGR	<14
SDMC	<3
Ingress protection	IP 20
Operating temperature	-20 C° do +45 C°
Appliance class	Class I + III
Light distribution	Direct / indirect / direct + indirect
Dimming levels	0-100 %
Switch options	Lamp control switches on the lamp stand, daylight sensor, motion sensor
Colour	Silver matt
Housing material	Aluminium
Warranty	5 years
Certificates	CE



MAIN FEATURES


Improvement of circadian rhythm
Light colour spectrum
Direct, indirect and a combination of direct and indirect distribution of light

APPLICATIONS


Offices and conference rooms
Educational institutions
Libraries

ACCESSORIES


Lamp control switches on the lamp stand
Daylight sensor
Motion sensor



DIMENSIONS




OPTICS




SKY LUM STAND: Direct and indirect lighting.

PERFORMANCE DISPLAY

MOTION SENSOR



DAYLIGHT SENSOR



PRODUCT VARIATIONS

SKY LUM STAND

Article	Power [W]	Luminous flux [lm] *	Efficacy [lm/W]
SKY LUM; STD.100.HCL.08.02.PMMA	100	9500 up / 2500 down	Up to 115

The latest validated data is available at www.lumenia.com.

It is time for Human Centric Lighting



**Circadian
Rhythm**



Mood



**Energy Savings
& Sustainability**



**5-year
Warranty**



**Attractive
Design**



**Improved
Productivity**



**Visual
Acuity**



**Low
Maintenance
Costs**



**Designed and
Manufactured
in EU**

June 2022

